

UNCLASSIFIED

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 1990	3. REPORT TYPE AND DATES COVERED Memorandum JAN 89 - DEC 89	
4. TITLE AND SUBTITLE Polynomial Definition of Discrete Field Points of Map of Diffusion Equation, Part II			5. FUNDING NUMBERS PR: 1L162618AH80	
6. AUTHOR(S) William F. Donovan				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-5066			10. SPONSORING / MONITORING AGENCY REPORT NUMBER BRL-MR-3836	
11. SUPPLEMENTARY NOTES This report is Part II of "Polynomial Definition of Discrete Field Points of Map Diffusion Equation, Part I," BRL Memorandum Report BRL-MR-3649, dated March 1988, written by William F. Donovan				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Part I of this report indicated a novel solution to the basic diffusion equation of Physics where the field boundary extends from zero to positive infinity. The nodal points of the field net are identified as terminating polynomials with the numerators of the coefficients found first by deduction--for the lower orders--and then by extrapolation. Part II considers the numerical analysis employed to complete the entire set of tables.				
14. SUBJECT TERMS Diffusion Equation; Heat Flow in Ballistic Environment; Finite Difference			15. NUMBER OF PAGES 22	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

	<u>Page</u>
List of Tables.....	5
I. Introduction.....	7
II. Procedure.....	7
A. Direct Differences.....	7
B. Summing Progression.....	10
C. Pascal Triangles.....	10
D. Pockhammer's Symbol.....	10
III. Summary.....	14
References.....	15
Appendix A, Development of Pockhammer Notation.....	16
List of Symbols.....	20
Distribution List.....	21

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Availability of Special
A-1	



INTENTIONALLY LEFT BLANK.

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Difference Progression for Degree Zero Numerators.....	8
2. Summing Progression for Degree Zero Numerators.....	11
3. Pascal Triangle.....	12
4. Arithmetic Square.....	13

INTENTIONALLY LEFT BLANK.

INTRODUCTION

Part I of this report indicated a novel solution to the basic diffusion equation of Physics where the field boundary extends from zero to positive infinity. The nodal points of the field net are identified as terminating polynomials with the numerators of the coefficients found first by deduction - for the lower orders - and then by extrapolation. Part II considers the numerical analysis employed to complete the entire set of tables.

PROCEDURE

A. Direct Differences

Formulation of the polynomial form of the discrete solutions, Eq. (1), of the diffusion equation from the Schmidt plot geometry is described in References (1) and (2) and reflects a progressive trigonometric construction where the degree and term extension increases with time and decreases with distance, time and distance referring to the unsteady heat flow application.

$$T(N,P) = \frac{\phi}{2^n 2^j} (A - A_1 u + A_2 u^2 - A_3 u^3 + A_4 u^4 - \dots \pm A_k u^k) \quad (1)$$

where u is the independent variable,

N is a distance index,

P is a time index,

$$h = \frac{(P+N)-2 - \left\lfloor \sin (P+N)\pi/2 \right\rfloor}{2},$$

$j = (k - \text{term exponent of } u)$, the individual term denominator exponent, and $\phi = m(T_0 - T_1 U)$, with

A, A_1, A_2, \dots, A_k the numerical coefficients of the interior terms of the equation.

The numerators of each term of the "nodal" equations, are uniquely related to adjacent time and distance term coefficients of the same degrees. This relation, originally found accidentally, is correlated by the table of differences shown in Table 1 & 1-A where the boxed vertical sequence; 17548, 25147, 35401, 49024 and 66868, is established by the reduction of the Schmidt plot through the trigonometric analysis. Step-wise right moving subtraction generates a column of residual zeroes, an adjoining column of ones, and a digital sequence identified as "IV" in Table 1. Reducing this column "IV" to zero vertically then allows a corresponding determination of the particular values of the entire matrix from inspection of the biased rows I, II and III.

Table 1. Difference Progression for Degree Zero Numerators

"m" EXPONENT = 0

IV

I

II

III

161052
(4,15)

$\therefore A = 161052$

Table 1-a (continuation of Table 1)

				630 (1,9)		57 (4,8)				
				1898		244 (3,9)		11 (6,8)		0
			5282		874 (2,10)		68 (5,9)		1 (8,8)	
		13866		2772 (1,11)		312 (4,10)		12 (7,9)		0
			8054		1186 (3,11)		80 (6,10)		1 (9,9)	
		21920		3958 (2,12)		392 (5,11)		13 (8,10)		0
			12012 (1,13)		1578 (4,12)		93 (7,11)		1 (10,10)	
		33932		5536 (3,13)		485 (6,12)		14 (9,11)		0
			90683		17548 (2,14)		2063 (5,13)		107 (8,12)	1 (11,11)
		232009		51480 (1,15)		7599 (4,14)		592 (7,13)		15 (10,12)
			572312		142163		25147 (3,15)		2655 (6,14)	122 (9,13)
				374172		76627 (2,16)		10254 (5,15)		714 (8,14)
									16 (11,13)	1 (12,12)
			946484		218790 (1,17)		35401 (4,16)		3369 (7,15)	138 (10,14)
				592962		112028 (3,17)		13623 (6,16)		852 (9,15)
									17 (12,14)	1 (13,13)
			1539446		330818 (2,18)		49024 (5,17)		4221 (8,16)	155 (11,15)
				923780 (1,19)		161052 (4,18)		17644 (7,17)		1007 (10,16)
									18 (13,15)	1 (14,14)
			2463226		491870 (3,19)		66868 (6,18)		5228 (9,17)	173 (12,16)
										1 (15,15)
									1180 (11,17)	19 (14,16)
										0
									192 (13,17)	

B. Summing Progression

Rewriting Table 1 as Table 2, where the biased rows are horizontal and the zero column is left-justified instead of right-justified, shows that the sum of any two adjacent column values of any row gives the value of the next row entry directly under the right-wise addendum. The sequence of Row I, regardless of the degree of the term represented by the matrix, always starts with zero and then maintains alternate zeroes to infinity. Each of the difference tables corresponding to a given "m" exponent (Eq. (1)) can be resolved similarly, except that each first row is carried in a unique progression. This progression is repeated without the interspersed zeroes within the matrix.

C. Pascal Triangles

The classical Pascal triangle, Table 3, can be formed by simple addition where each term is the sum of the two previous superior terms and individual entries are represented by the binomial coefficient,

$$\binom{z}{w} = \frac{z!}{w!(z-w)!}$$
 where z and w represent the row and column of a particular coefficient of a binomial expansion. A modification of the Pascal triangle is found by writing the diagonals as rows which then generates the "arithmetic square", Table 4, also known historically.³

It is precisely these progressions alternating with zeroes, which comprise the first rows of the individual "summing progressions" shown as Table 2. In this case the digital enumeration of the rows indicates the degree of the "m" term.

D. Pockhammer's Symbol

Each row of Table 4 can be examined by finite differencing to establish, via Gregory-Newton,⁴ a definitive polynomial expansion extending to infinity. Furthermore, the algebraic equation can be simplified to a factorial form known as Pockhammer's Symbol or as a π factorial. Appendix A presents an example of such a development for "m" degrees zero through three. The complete arithmetic square, Table 2, can then be written as

$$f(v) = \frac{1}{(r+1)!} (v)_r \quad (2)$$

where

r = degree of m,

v = column value

and $f(v)$ = row value of Table 2. From Table 2, a complete construction of Table 1 follows.

Table 3. Pascal Triangle

Table 4. Arithmetic Square

"m" EXPONENT ↓	BASELINE SEQUENCE →														
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	1	2	3	4	5	6	7	8	9	10	11				
1	1	3	6	10	15	21	28	36	45	55	66				
2	1	4	10	20	35	56	84	120	165	220	286				
3	1	5	15	35	70	126	210	330	495	715	1001				
4	1	6	21	56	126	252	462	792	1287	2002	3003				
5	1	7	28	84	210	462	924	1716	3003	5005	8008				
6	1	8	36	120	330	792	1716	3432	6435	10010	18018				
7	1	9	45	165	495	1287	3003	6435	12870	22880	40898				

Summary

A straight-forward method (arithmetic squares) is described to permit the numerical construction of the differencing tables of Part I of this report. The derivation through the Pascal triangle and correspondence to Pockhammer's Symbol notation is demonstrated.

REFERENCES

1. William F. Donovan, "Determination of Heat Transfer Coefficient in a Gun Barrel from Experimental Data," Memorandum Report BKL-MR-3428, January 1985.
2. William F. Donovan, "Polynomial Definition of Discrete Field Points of Map Diffusion Equation, Part I," Memorandum Report BKL-MR-3649, March 1988.
3. N.Ya. Vilenkin, Combinatorics, Academic Press, New York and Long, 1971, p.p. 90-94.
4. Spiegel, M.R., "Theory and Problems of Finite Differences and Finite Difference Equations", Schaum's Outline Series in Mathematics, McGraw-Hill Book Company, N.Y., etc., 1971, p.p. 36-44.

APPENDIX A

Determination of Pockhammer's Notation

A discussion of the Gregory-Newton analysis is presented in Reference 4. It consists of determining a polynomial expression to represent a progressive sequence of numbers. In the present application, it is used to examine the base row development of Table 4.

Given a unit stepping difference in a counting reference, v , and a matched sequence $f(y)$;

$$f(y) = f(v) + \frac{\Delta f(v)}{1!} y^{(1)} + \frac{\Delta^2 f(v)}{2!} y^{(2)} + \frac{\Delta^3 f(v)}{3!} y^{(3)} + \dots$$

where

v is the step level,

$f(y)$ is the dependent variable,

$\Delta^n f(v)$ are the diagonal values of the difference table, and

$$y^{(0)} = 1$$

$$y^{(1)} = y$$

$$y^{(2)} = y(y-1)$$

$$y^{(3)} = y(y-1)(y-2) \dots$$

etc.

For the case of "m" degree zero where $f(y)$ is from Table 4:

v	f(y)	f(v)	$\Delta f(v)$
0	1	1	
1	2	1	0
2	3	1	0
3	4	1	0
4	5	1	0
5	6	1	0
6	7	1	0
7	8	1	0
8	9	1	0
9	10	1	0
10	11	1	0
11	12	1	0

$$f(y) = f(v) + \frac{\Delta f(v)}{1!} y^{(1)} \dots\dots$$

$$= 1 + v + 0 \dots\dots$$

$$= (v + 1)$$

For m degree 1:

v	f(y)	f(v)	$\Delta f(v)$	$\Delta^2 f(v)$
0	1	2		
1	3	3	1	0
2	6	4	1	0
3	10	5	1	0
4	15		1	

$$f(y) = f(v) + \frac{\Delta f(v)}{1!} y^{(1)} + \frac{\Delta^2 f(v)}{2!} y^{(2)} + \dots\dots\dots$$

$$= 1 + 2v + \frac{1}{2} v(v-1) + 0 + \dots$$

$$= \frac{1}{2} (v^2 + 3v + 2)$$

$$= \frac{1}{2} (v + 1) (v + 2)$$

For m degree 2

v	f(v)	f(v)	$\Delta f(v)$	$\Delta^2 f(v)$	$\Delta^3 f(v)$
0	1	3			
1	4	6	3	1	
2	10	10	4	1	0
3	20	15	5	1	0
4	35	21	6		
5	56				

$$= 1 + 3v + \frac{3}{2} (v)(v-1) + \frac{1}{6} (v)(v-1)(v-2) + 0 \dots$$

$$= 1 + 3v + \frac{3}{2} (v^2 - v) + \frac{v}{6} (v^2 - 3v + 2)$$

$$= \frac{1}{6} (v^3 + 6v^2 + 11v + 6)$$

$$= \frac{1}{6} (v + 1) (v + 2) (v + 3)$$

The pattern continues so that:

Degree of "m"

$$= r \quad f(y)$$

$$0 \quad (v + 1)$$

$$1 \quad \frac{1}{2} (v + 1) (v + 2)$$

$$2 \quad \frac{1}{6} (v + 1) (v + 2) (v + 3)$$

$$3 \quad \frac{1}{24} (v + 1) (v + 2) (v + 3) (v + 4)$$

$$4 \quad \frac{1}{120} (v + 1) (v + 2) (v + 3) (v + 4) (v + 5)$$

$$5 \quad \frac{1}{720} (v+1)(v+2)(v+3)(v+4)(v+5)(v+6)$$

and the general expression is

$$f(y) = \frac{1}{(r+1)!} (v)_{r+1}$$

$$\text{where } (v)_{r+1} = (v+1)(v+2)(v+3) \dots (v+r+1)$$

With respect to the original time index, P, of the diffusion equation polynomial;
 $v = P-1$ by Table 3, and

$$\begin{aligned} (v)_{r+1} &= (P-1+1)(P-1+2) \dots (P+r) \\ &= P(P+1)(P+2)(P+3) \dots (P+r) \end{aligned}$$

so that

$$f(y) = \frac{1}{(r+1)!} (P)_r$$

which is known as Pochhammer's Symbol.*

*Gravio A. Korn, Mathematical Handbook for Scientists and Engineers, McGraw-Hill Book Co., Inc., New York, etc., 1961.

List of Symbols

h	exponent of 2 in external denominator
j	exponent of 2 in each term denominator
k	exponent of "m" in final term
m	independent variable
r	degree of "m"
v	column value of stepping sequence
$f(v)$	row value of stepping sequence
w	inferior component of binomial coefficient
z	superior component of binomial coefficient
A_1, A_2, A_3, \dots	numerical coefficients
N	distance index
P	time index
T	dependent variable
Q	external numerator

No of Copies	Organization
1	Office of the Secretary of Defense OUSD(A) Director, Live Fire Testing ATTN: James F. O'Bryon Washington, DC 20301-3110
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145
1	HQDA (SARD-TR) WASH DC 20310-0001
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001
1	Commander US Army Laboratory Command ATTN: AMSLC-DL Adelphi, MD 20783-1145
2	Commander US Army, ARDEC ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000
2	Commander US Army, ARDEC ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000
1	Director Benet Weapons Laboratory US Army, ARDEC ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-5000
1	Commander US Army Aviation Systems Command ATTN: AMSAV-DACL 4300 Goodfellow Blvd. St. Louis, MO 63120-1798

No of Copies	Organization
1	Director US Army Aviation Research and Technology Activity ATTN: SAVRT-R (Library) M/S 219-3 Ames Research Center Moffett Field, CA 94035-1000
1	Commander US Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander US Army Tank-Automotive Command ATTN: AMSTA-TSL (Technical Library) Warren, MI 48397-5000
1	Director US Army TRADOC Analysis Command ATTN: ATAA-SL White Sands Missile Range, NM 88002-5502
(Class. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
(Unclass. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000 <u>Aberdeen Proving Ground</u>
2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Cdr, USATECOM ATTN: AMSTE-TD
3	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
1	Dir, VLAMO ATTN: AMSLC-VL-D

<u>No. of Copies</u>	<u>Organization</u>
2	Director Defense Advanced Research Projects Agency ATTN: C. R. Lehner G. Ligman, Jr. 1400 Wilson Boulevard Arlington, VA 22209
1	Director Institute for Defense Analyses ATTN: H. Wolfhard 400 Army-Navy Drive Alexandria, VA 22202
1	Commander US Army, ARDEC ATTN: SMCAR-CCH, E. Barriores Picatinny Arsenal, NJ 07806-5000
1	Commander US Army White Sands Missile Range ATTN: STEWS-VT White Sands Missile Range, NM 88002
1	Commander USA Watervliet Arsenal ATTN: SARWV-RDD, P. Voutis Watervliet, NY 12189
1	Commander US Army, ARDEC ATTN: SMCAR-R, E. H. Moore, III Picatinny Arsenal, NJ 07806-5000
1	Director Benet Weapons Laboratory US Army, ARDEC ATTN: SMCAR-CCB (J. Zweig) Watervliet, NY 12189
1	Commander USA Aviation Systems Command ATTN: AMSAV-E 4300 Goodfellow Blvd. St. Louis, MO 63120

<u>No. of Copies</u>	<u>Organization</u>
1	Commander, USACECOM R&D Technical Library ATTN: ASQNC-ELC-I-T, Myer Center Fort Monmouth, NJ 07703-5301
1	Commander US Army Missile Command ATTN: AMSMI-YDL Redstone Arsenal, AL 35898
1	Commander US Army Tank-Automotive Command ATTN: AMSTA-DU Warren, MI 48090
1	Commander US Army Laboratory Command ATTN: AMSLC-TD Adelphi, MD 20783-1145
1	Commander US Army Research Office ATTN: Technical Library P. O. Box 12211 Research Triangle Park, ND 27706-2211
2	Commandant USA Artillery and Missile School ATTN: AKPSIAS-G-CN AKPSIAS-G-RK Fort Sill, OK 73504
1	Chief of Naval Research ATTN: Code 473 800 N. Quincy Street Arlington, VA 22217
2	Commander Naval Surface Warfare Center ATTN: Technical Library, L. L. Pater Dahlgren, VA 22448
1	Commander Naval Research Laboratory ATTN: Code 6180 Washington, DC 20375

No. of
Copies Organization

- 1 Commander
Naval Ordnance Station
ATTN: A. Roberts
Indian Head, MD 20640

- 1 Illinois Institute of Technology
Department of Mechanics
ATTN: Dr. L. N. Tao
3300 S. Federal Street
Chicago, IL 60616

- 1 Southwest Research Institute
Department of Energetics
ATTN: Mr. Tom Jeter
San Antonio, TX 78228

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number BRL-MR-3836 Date of Report JULY 1990
2. Date Report Received _____
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Name

Organization

Address

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD
ADDRESS

Name

Organization

Address

City, State, Zip Code

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

-----FOLD HERE-----

DEPARTMENT OF THE ARMY

Director

U.S. Army Ballistic Research Laboratory

ATTN: SLCBR-DD-T

Aberdeen Proving Ground, MD 21005-5066

OFFICIAL BUSINESS



**NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES**

BUSINESS REPLY MAIL

FIRST CLASS PERMIT No 0001, APG, MD


POSTAGE WILL BE PAID BY ADDRESSEE

Director

U.S. Army Ballistic Research Laboratory

ATTN: SLCBR-DD-T

Aberdeen Proving Ground, MD 21005-9989



-----FOLD HERE-----